

## ATTACHMENT A

### General Description:

The work on this project shall consist of furnishing all labor, materials and equipment to construct a ten foot (10') wide, approximately one Hundred Eight foot (108') long and six inch (6") thick concrete walkway between The West Town Shopping Center and the Pedestrian Crosswalk in front of the Union County Stadium.

The slope of the walkway must not exceed a 1 to 12 ratio along any portion of the walkway. Some grading will be required and any side slope must not exceed a 1 to 3 ratio. The cross slope perpendicular to the travel direction of the walkway should be fairly level but allow water to drain perpendicular to the travel direction, but the slope must never exceed a 1 to 48 ratio.

Concrete may be placed upon stable soil after topsoil is stripped away. Any backfilling of unstable base will be CR-14 compacted stone. Union County Engineer must approve base prior to placing concrete.

In all cases SCDOT Standard Specifications will apply to this project.


### Specifications:

- Concrete will be 3000 PSI batched and mixed and placed and finished according to SCDOT Standard Specification, Sections 701 and 720.
- Curb cuts shall be in accordance with SCDOT Standard Specification, section 720 and according to SCDOT Standard Drawing 720-105-02, Detail 6
- Traffic control must be provided for curb cuts on US Hwy 176 in accordance with *South Carolina Manual of Uniform Traffic Control Devices for Streets and Highways* (SCMUTCD) as approved in SCDOT Encroachment Permit that will be secured by Union County prior to construction.
- All work must adhere to any applicable building code for Union County.

**Drawings:** See Next Two Pages

Walkway to US 176 Crosswalk  
@ Union County Stadium

PROJECT CONCRETE WALKWAY - OLD WALMART			JOB NO.	
DATE	DWN.BY JAB	DATE 3-18-20	CHK.BY JAB	SHEET 1 of 2



PROJECT INFO

- 3000# CONCRETE @ 6" DEPTH ON COMPACTED BASE
- CURB CUT ON US 176 WILL REQUIRE SCOT EMBROIDERED PERMIT
- 3' CURB TRANSITION EACH SIDE OF WALKWAY AT BEGINNING AND END

Walkway to US 176 Crosswalk  
@ Union County Stadium

PROJECT

CONCRETE WALKWAY - OLD WALMART

JOB NO.

DATE

DWN. BY

DATE

CHK. BY



SHEET

JAB


3-18-20

JAB

2 of 2



SCOTT STANDARD DRAWING  
720-105-02



0400

04108

DRAWING NOT TO SCALE